



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Konica Minolta	Logo				
Company name *	Konica Minolta Europe GmbH					
Contact information * e-mail address	https://wwws.konicaminolta.net/neoga/gl/about.php	KONICA MINOLTA				
Internet site *	http://www.konicaminolta.com/index.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction Printer				
Commercial name *	bizhub				
Model number *	4752				
Issue date *	1 June 2018				
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	version 1.0				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	bizhub 4752	Logo	
Issue date *	1 June 2018		

Product	oduct environmental attributes - Legal requirements						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum						
D4 4*	concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes	Ш				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	· 🔀					
	(see legal reference).						
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):		_	_			
F 1.7	env@konicaminolta.eu	\boxtimes		Ш			
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🔀					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X					
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): env@konicaminolta.eu	X					
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes					
	Required information is; Significantly given in item P15 or added to this document,	\boxtimes					
	available at (add URL):						
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).	\boxtimes					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	$\overline{\mathbb{X}}$					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\overline{\mathbb{X}}$	$\overline{\Box}$				
	are Community workplace exposure limits, the product/packaging is adequately labeled according to						
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	id 🔀	$\overline{\Box}$				
	hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	, 2					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoc (see legal reference).	ol 🔀					
	Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	bizhub 4752	Logo	
Issue date *	1 June 2018		

Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met							
	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No				
Item P7	Design	168	INO	n.a.			
1 /	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes	П				
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes	$\overline{\Box}$				
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: 5 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
D7 40	Material type: <i>PC+ABS</i> Material type: <i>PC+ABS</i> Material type: Insulation materials of external electrical cables are PVC free.						
P7.12		_ <u>_</u> _	\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		X				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш				
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		\boxtimes				
	as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes					
P7.17	<u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)	\boxtimes					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%:						
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(16), FR(17), FR(40), FR(30+40)	\boxtimes					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes					
	If YES; at least one of the two alternatives below shall be answered;	<u> </u>					
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is up to 40 %. 						
	or b) The weight of recycled material is g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * bizhub 47			752			Logo			
Issue date	ssue date * 1 June 2018								
Product 6	Product environmental attributes - Market requirements (continued) Requirement me								met
Item	tem Yes No n							n.a.	
P7.21*	Material and substance requirements (continued) * Biobased plastic material content is used in the product (See NOTE B7):								
P7.21		•		. ,	,			\times	
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. 								
P7.22*			ee from mercury, i.e. le pecify: Number of lam		np. um mercury content per lan	np: mg	\boxtimes		
P8	Batteries								
P8.1*	Battery c	hemical co	mposition: Lithium	Manganese diox	ide				
P9			on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consum	ptions are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and to		nergy	
Sleep mod STAR® Op (OM) produ	erational		W	W	W				\boxtimes
Standby/of ENERGY S	STAR Ope	erational	W	W	W				\boxtimes
Mode (OM)			kWh/week	1.9 kWh/week	1.5 kWh/week	Energy Star			
TEC produ	cts		KVVII/Week	7.9 KVVII/Week	7.5 KVVII/Week	Energy Star			Ш
(TEC= Typical Energy									
Maximum			W	W	W				
Active (Pr	inting)		W	606 W	588 W	Corporate S	tandard		
Ready			W	23.4 W	24.0 W	Energy Star			
Sleep			W	1.47W	1.27 W	Energy Star			
Hibernate			W	0.00 W	<i>0.40</i> W	IEC 62301			
Plug-in of			W	0.09 W	0.10 W	IEC 62301			
External Po	ower Supp	oly Efficienc	cy Level (International	Efficiency Marking	Protocol) *:				\boxtimes
Print/Scan	Speed *	:	47 images per minute						
Default tim	e to enter	energy sav	e mode: 1 minutes	i					
P9.2*	Informati	on about th	ne energy save functio	n is provided with t	he product.		\boxtimes		
P10	P10 Emissions								
D. ()		nission – [Declared according to	ISO 9296 (See NO			<u> </u>		
P10.1	Mode	M	lode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)		power level,		
	Idle * <i>Ready</i> * 3.1								
	Operation		Printing (Duplex b/w)		* 7.0				
	Other mo		Printing (Simple b/w)		6.9				
	Measure	d according	g to: 🛛 ISO 7779 🔀						
			Other (only in the control of the	if not covered by E	CMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	bizhub 4/52					Logo			
Issue date	*	1 June 2018								
Product e	environ	mental attributes	- Market requirements	(con	tinued)			Requi	rement	met
Item								Yes	No.	n.a.
D10.0*	Chemical emissions from printing products (See NOTE B10)									
P10.2*	•	•	ECMA-328 Determination		emical Emission Rat	es from E	lectronic	X		
5400			, other specify: RAL U	Z-205						
P10.3	i ypicai	emission rate (operat	ion phase) is (mg/n):							
	Electrop	photographic devices:	Ozone <0.28 (LOQ) Du	st 0.83	3 Styrene <i>0.13</i> E	Benzene <	0.01 (LOQ)			
	Ink devi	ces:	TVOC 6.9 Dust	Styre	ene Benzene	TVOC				
	Note: co	ompliance with maxim	num emission rates in eco	labels	to be declared in P	14.				
P11		mable materials for								
P11.1*	A Safety	y Data Sheet (SDS) is	s available for the ink/tone	r prepa	aration, even if not le	egally requ	ired (see P4	.3).		
P11.2*	Paper of	• .	umer recycled fibers can	be us	ed, provided that i	t meets th	ne requireme	ents of 🔀		
P11.3*			ying is an integrated produ	ct func	ction.			\boxtimes		
P11.4*			nd-user with default auto-d						믐	
	·			upiex	enableu.			\boxtimes		Ш
P13 P13.1*		ing and documenta packaging material t		woigh	ot (kg): 2.01					
P13.1			ype(s): Corrugated ype(s): Plastic- HDPE		nt (kg): 3.81 nt (kg): 0.15					
			ype(s): <i>Expanded Polyst</i>		weight (kg	a): 0.70				
		packaging material t			nt (kg): 0.26	,,,				
		packaging material t			nt (kg):					
		packaging material t		-	nt (kg):					
		packaging material t			nt (kg):					
	Product	packaging material t	ype(s).		nt (kg): nt (kg):					
P13.2*	Product packaging material type(s): weight (kg): Product plastic primary packaging is free from PVC.									
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-									
	consumer recovered fiber content: Recycled content >25 %									
P13.4*			roduct documentation (tick	(box):						
P13.5	Electronic . Paper . Other . (Please only complete this item if paper documentation used)									
	User and product documentation on paper media is chlorine-free:									
		chlorine-free								
	-	tal chlorine-free								
		sed chlorine-free								
P14										
P14.1		ary programs:	rements of the following vo	lunton	/ program(a):					
F 14.1	•	•	J	nuntary	,					
		iY STAR® el: Blue Angel	Criteria version: 2 Criteria version: RAL- U2	7 205	Date: Oct. 2014			aging Equipi fice Equipme		
	LCO-lab	ei. Dide Aligei	Citteria version. NAL- 02	200	Date. Jan. 2017		function	ice Equipme	iic with	
	Eco-lab		Criteria version:		Date:	Product of				
P15		nal information (Sec				1 14				
			d within this product sho oosal symbol and instruc							periy
			d within this product me							ed by
	the customer; however, is designed for easy removal by recyclers and service providers.									
	P3.2 – This product complies with Lot 6 and Lot 26 of Eco design Requirement.									
	P5.2 - The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used									
	when they are >25g P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No									
	bromine was intentionally added in the processing of these parts.									
		Per IEEE 1680.2 PC								
BTU (220y)	30.5 B1	TU/h The figure is b	ased on the TEC value of	f 1.5 k	Wh/week (=24h x 7	'days)				
(230v) BTU	38 6 P1	TII/h The figure is b	ased on the TEC value of	f 1 0 V	Wh/week (-24h v 7	'dave)				
(115y)	30.0 D1	on the lighters be	ased on the LEC Value Of	1.3 K	**************************************	uays)				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1