



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Konica Minolta	Logo
Company name *	Konica Minolta Europe GmbH	
Contact information * e-mail address	https://wwws.konicaminolta.net/neoga/gl/about.php	KONICA MINOLTA
Internet site *	http://www.konicaminolta.com/index.html	
Additional information		_

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multifunction Printer			
Commercial name *	bizhub			
Model number *	C659			
Issue date *	30 Nov 2017			
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	version 1.0			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	bizhub C659	Logo	
Issue date *	30 Nov 2017		

Product	Require	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	X		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/weel	< 🔀		
	(see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	env@konicaminolta.eu			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	$\boxtimes$		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): env @konicaminolta.eu	X		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	$\boxtimes$		
	Required information is; Silven in item P15 or added to this document,			
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).	X		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\boxtimes$		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
D.F.	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoc (see legal reference).	ol 🔀		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	bizhub C659	Logo	
Issue date *	30 Nov 2017		

Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design	103	140	π.α.		
	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$				
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$	Ī			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$	Ī			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$	Ī			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$				
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements	*				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Metarial type: PC: ARS  Metarial type: PC: RET					
P7.12	Material type: PC+ABS Material type: PC+PET Material type: Insulation materials of external electrical cables are PVC free.					
P7.13	Insulation materials of external electrical cables are PVC free.	<u> </u>	$\boxtimes$			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		$\boxtimes$			
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		$\boxtimes$			
	as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>	$\boxtimes$				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBPA (additive) ☐, TBBPA (reactive) ☐ (See NOTE B3), Other; chemical name: , CAS #:					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(17)	$\boxtimes$				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:  FR(17), FR(40)					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:					
D7 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)	5 3				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$				
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 18 %.</li> <li>or</li> </ul>	l				
	b) The weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see  $\frac{http://www.ecma-international.org/publications/standards/Ecma-370.htm}{}$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	odel number * bizhub C659			Logo					
Issue date	ue date * 30 Nov 2017								
Product 6	environn	nental att	ributes - Market re	quirements (con	tinued)		Requir	ement	met
Item							Yes	No	n.a.
D= 0.11			ance requirements (						
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):				$\boxtimes$				
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0.002 %.  or  b) The weight of the biobased plastic material is g.								
P7.22*	Light sou If mercur	rces are from the second property is used s	ee from mercury, i.e. le pecify: Number of lam	ess than 0,1 mg/lam ps: and max	np. imum mercury content per	lamp: r	ng		
P8	Batteries						·		
P8.1*	Battery c	hemical co	mposition: Lithi	um Manganese die	oxide				
P9	Energy of	consumpti	on (See NOTE B8)						•
P9.1	For the p	roduct the	following power levels	or energy consump	otions are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mod STAR® Op (OM) produ	erational l		W	W	W				$\boxtimes$
Standby/of ENERGY S Mode (OM)	f mode for STAR Ope		W	W	W				$\boxtimes$
TEC value TEC produ		GY STAR	4.4 kWh/week	4.4 kWh/week	4.3 kWh/week				
(TEC= Typ	ical Energ	У							
Maximum			<b>2000</b> W	<b>2100</b> W	2100 W	RAL UZ-171			
Active (Pri	inting)		1130 W	1130 W	<b>1200</b> W	RAL UZ-171			
Ready			235 W	<b>237</b> W	<b>236</b> W	<b>RAL UZ-171</b>			
Low powe	er		86.5 W	<b>83.8</b> W	71.4 W	<b>RAL UZ-171</b>			
Sleep			<b>0.4</b> W	<b>0.4</b> W	0.5 W	<b>RAL UZ-171</b>			
Plug-in of	f		0.035 W	0.020 W	0.066 W	<b>RAL UZ-171</b>			
External Po	ower Supp	ly Efficienc	cy Level (International	Efficiency Marking l	Protocol) *:				$\boxtimes$
Print/Scan	Speed *	:	65 images per minute						
Default time	e to enter	energy sav	ve mode: minute	es					
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emissions								
D10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9)  Mode Mode description Statistical upper limit A-weighted sound power level,								
P10.1	Windle description $L_{WA,c}(B)$								
		* Ready * 5				-			
		* Printing * 7.3				_			
	Other mo								
	Measure	d according	g to: ISO 7779 L	ECMA-74 if not covered by E(	CMA-74)				

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	I number * bizhub C659 Logo					
Issue date						
Product e	environi	mental attributes - Market requirements (continued)	Re	equiren	nent	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products (See NOTE B10)				
P10.2*		formed according to ECMA-328 Determination of Chemical Emission Rates from El	ectronic	$\boxtimes$		
		ent (ISO/IEC 28360) , other specify: RAL UZ-171				
P10.3	Typical	emission rate (operation phase) is (mg/h):				
	Electrophotographic devices: Ozone 0.07 Color Dust 2.3 Styrene 0.18 Benzene 0.009 TVOC 2.9			$\overline{\Box}$		
	Ink devi		TVOC 2.9			
	IIIK GCVI	bust digitalic belizelie	1000			
		empliance with maximum emission rates in eco labels to be declared in P14.				
P11		nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	red (see P4.3).	$\boxtimes$		
P11.2*	Paper of EN 1228	containing post-consumer recycled fibers can be used, provided that it meets the 31.	e requirements of	$\boxtimes$		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		$\boxtimes$		
P11.4*	The pro	duct is delivered to end-user with default auto-duplex enabled.		$\boxtimes$		
P13		ing and documentation				
P13.1*		packaging material type(s): <b>wood</b> weight (kg): <b>17.2</b>				
		packaging material type(s): <i>paper</i> weight (kg): <i>11.6</i> packaging material type(s): <i>foamed PS</i> weight (kg): <i>2.0</i>				
		packaging material type(s): <b>foamed PP</b> weight (kg): <b>0.007</b>				
	Product	packaging material type(s): foamed PE weight (kg): 0.07				
		packaging material type(s): PE weight (kg): 0.26				
		packaging material type(s): <i>PP</i> weight (kg): <i>0</i> packaging material type(s): <i>Other</i> weight (kg): <i>0.25</i>				
		packaging material type(s): weight (kg):				
P13.2*		plastic primary packaging is free from PVC.		X		
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage er recovered fiber content: $70\%$	of minimum post-			
P13.4*	Specify media for user and product documentation (tick box):					
		ic X, Paper X, Other				ш
P13.5		only complete this item if paper documentation used)				
		d product documentation on paper media is chlorine-free:		$\boxtimes$		
	If Yes, p	lease specify:			_	
	Totally of	chlorine-free		$\boxtimes$		
	Element	tal chlorine-free		Ħ		
	Process	ed chlorine-free		$\Box$		
P14		ry programs:	•			
P14.1	The pro	duct meets the requirements of the following voluntary program(s):				
			ategory: MFDs	tion Do	vice	
	Eco-label: Blue Angel Criteria version: RAL UZ-171 Date: July 2012 Product category: Multi Function Device Eco-label: Criteria version: Date: Product category:					
P15	Additional information (See NOTE B11)					
P3.2	This product complies with Lot 6 and Lot 26 of Eco design Requirement.					
P10.1	Sound Pressure Level (LpAm): Idle= 33 dB, Operation= 55 dB					
BTU (230v)	87.3 BTU/h The figure is based on the TEC value of 4.3 kWh/week (=24h x 7days)					
BTU	89.4 BT	TU/h The figure is based on the TEC value of 4.4 kWh/week (=24h x 7days)				
(115v)						

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1