

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Konica Minolta	Logo
Company name *	Konica Minolta Europe GmbH	
Contact information * e-mail address	https://wwws.konicaminolta.net/neoga/gl/about.php	
Internet site *	http://www.konicaminolta.com/index.html	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Multifunction Printer
Commercial name *	bizhub
Model number *	368e
Issue date *	18 December 2017
Intended market *	🗌 Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	version 1.0

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	bizhub 368e	Logo				
Issue da	ate *	18 December 2017					
Produc	t environ	mental attributes - Legal requirements		Rec	uire	ment	met
Item					Yes	No	n.a.
P1	Hazardo	ous substances and preparations					
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and No	OTE B1)		\times		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			\boxtimes		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.		,1-	\boxtimes		
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated		\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms	in the	\boxtimes		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/	week	\boxtimes		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail on nicaminolta.eu	contact):		\boxtimes		
P2	Batterie						
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See	legal	\boxtimes		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)			\boxtimes		
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see legularation of Conformity can be requested at (add link or e-mail address): <i>env@konic</i>			\boxtimes		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			\boxtimes		
	Require	d information is; given in item P15 or added to this document,					
		available at (add URL):					
P4	Consum	nable materials					
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (see	\boxtimes		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	al referen	ce).	\times		
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requiremen al reference).	ording to				
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.			\boxtimes		
P5.2*	The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the mate	erial(s)	\boxtimes		
P5.3*	The proc (see lega Comme	duct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Iontreal Pi	otocol	\boxtimes		
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).			\mathbf{X}		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	bizhub 368e Logo			
Issue da	te *	18 December 2017			
		mental attributes - Market requirements (See General NOTE GN below) nental conscious design	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes		n.a.
P7	Design			-	
		mbly, recycling			
P7.1*		t have to be treated separately are easily separable	\mathbf{X}		
P7.2*		aterials in covers/housing have no surface coating.	\boxtimes		
P7.3*		arts > 100 g consist of one material or of easily separable materials.	\mathbf{X}		
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\mathbf{X}		
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives	\mathbf{X}		
P7.8*		g can be done using commonly available tools	\mathbf{X}		
P7.9.	• •	rts are available after end of production for: 7 years			
P7.10	Service is	s available after end of production for: 7 years			
		and substance requirements	·		
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12		type: PC+ABS Material type: ABS n materials of external electrical cables are PVC free. Material type: ABS			
P7.13		n materials of external electrical cables are PVC free.	<u> </u>	\square	<u> </u>
P7.14		plastic casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000 ppm) bromine and $0,1\%$			<u> </u>
17.14	weight (1 polyvinyl	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing n 25% post-consumer recycled content.			
P7.15		ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	n 🗌	\boxtimes	
D7 40		d in IEC 61249-2-21. (See NOTE B2)			
P7.16	Marking:		\boxtimes		
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) 🔲, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name: , CAS #:			
	according	emical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR(17)</i>	\boxtimes		
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "			
	<u>Alt. 2: </u> Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:			
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
Γ1.20	lf YES; a a) Of te	sumer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a sentage of total plastic by weight) is 37 % .	A		
		weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	bizhub 36	58e			Logo			
Issue date *	18 Decen	nber 2017						
Product enviro	nmental att	ributes - Market re	quirements (contin	nued)			irement	met
Item						Ye	es No	n.a.
		ance requirements (
			in the product (See NO	,		\geq		
a) (t or	Of total plastic otal plastic by		·	ered; naterial content (calcula	ted as a perce	entage of		
P7.22* Light	sources are fre	•	ess than 0,1 mg/lamp.	um mercury content per	lamp: n	ng		
P8 Batte	ries					·	÷	
P8.1* Batter	y chemical co	mposition: Lith	ium Manganese dioxi	de				
P9 Energ	y consumpti	on (See NOTE B8)				· ·		-
			s or energy consumption	ons are reported:				
Energy mode *		Power level at 100 V AC	Power level at 120 V AC (America)	Power level at 230 V AC (Europe)	Reference/Sta modes and te		energy	
Sleep mode for E STAR® Operation (OM) products		W	W	W				\boxtimes
Standby/off mode ENERGY STAR (Mode (OM) produ	Operational	W	W	W				\boxtimes
TEC value for ENERGY STAR TEC products		1.7 kWh/week	1.7 kWh/week	1.7 kWh/week				
(TEC= Typical En	ergy	(500)14/	(500)11/	(500))//	D 44 47 005			
Maximum		1500 W	1500 W	1580 W	RAL UZ-205			
Active (Printing)		640 W	660 W	660 W	RAL UZ-205			
Ready		76 W	77 W	80 W	RAL UZ-205			
Low power		33.2 W	34.4 W	29.4 W	RAL UZ-205			
Sleep		0.4 W	0.5 W	0.5 W	RAL UZ-205			
Plug-in off		0.0002 W	0.0003 W	0.0006 W	RAL UZ-205			$\overline{\neg}$
-	upply Efficienc	y Level (International	Efficiency Marking Pro	otocol) * :				
Print/Scan Speed	,	36 images per minute	, ,	•				
•		3 1						<u> </u>
Default time to en			n is provided with the	araduat				<u> </u>
		e energy save function	n is provided with the					
P10 Emis		Declared according to	ISO 9296 (See NOTE	B9)				
P10.1 Mode		lode description	Sta	atistical upper limit A-we _{A,c} (B)	ighted sound p	oower level,		
Idle	*	Ready	* 2	.6				
Opera		Printing	* 6					H
Other	mode	¥						
Meas	ured according	g to: 🔀 ISO 7779 🗌	ECMA-74	A-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	bizhub 368e				Logo				
Issue date *		18 December 201	7							
	environ	mental attributes	s - Market requirements (o	continued)			R	equire		
Item				- - (<i>a</i>)				Yes	No	n.a
P10.2*			printing products (See NOT			-1			_	_
1 10.2			o ECMA-328 Determination of) , other specify: <i>RAL UZ-2</i>		n Rates from E	Electronic		\boxtimes	Ш	
P10.3			ation phase) is (mg/h):	:05						
1 10.5	турісаі	emission rate (oper	allon phase) is (mg/n).							
			s: Ozone 0.15 (BW) Dust 1.3							Ц
	Ink dev	ICES:	Dust	Styrene	Benzene	TVOC				\mathbf{X}
	Note: c	ompliance with max	imum emission rates in eco lab	els to be declared	in P14.					
P11			r printing products							
P11.1*	A Safet	y Data Sheet (SDS)	is available for the ink/toner p	reparation, even if	not legally req	uired (see	P4.3).	\boxtimes		
P11.2*	Paper	containing post-con	sumer recycled fibers can be	used, provided t	hat it meets t	the require	ments of	\mathbf{X}		
P11.3*	EN 122 2-sided		pying is an integrated product	function				\mathbf{X}		
P11.4*		,							<u> </u>	
			end-user with default auto-dup	lex enabled.				\mathbf{X}		
P13 P13.1*		jing and document		oight (kg): 5 4						
P13.1		t packaging material packaging material		eight (kg): 5.4 eight (kg): 19.5						
	Product	packaging material	type(s): foamed PS w	eight (kg): 0.37						
	Product packaging material type(s): foamed PP weight (kg): 0.035									
	Product packaging material type(s): <i>foamed PE</i> weight (kg): 0.038									
	Product packaging material type(s): <i>PE</i> weight (kg): <i>0.314</i> Product packaging material type(s): <i>PP</i> weight (kg): <i>0.001</i>									
	Product packaging material type(s): <i>metal</i> weight (kg): 0.007 Product packaging material type(s): <i>metal</i> weight (kg): 0.034									
	Product packaging material type(s): other weight (kg): 0.045									
P13.2*	Product	t plastic primary pac	kaging is free from PVC.					\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-									
	consum	ner recovered fiber o	content: 70 %							
P13.4*	Specify	media for user and	product documentation (tick be	ox):						
		nic 🛛 , Paper 🔀 ,								
P13.5			item if paper documentation us					5	_	
		id product documen please specify:	tation on paper media is chlori	ne-free:				\boxtimes		
		chlorine-free								
	,	tal chlorine-free								
		sed chlorine-free						H		
P14		ary programs:								
P14.1			uirements of the following volur	itary program(s):						
	•	GY STAR®	Criteria version: ver.2	Date: Januar	v Product	category:	MFDs			
				2014						
		el: <i>Blue Angel</i>	Criteria version: RAL UZ-17	· · · · · · · · · · · · · · · · · · ·		category:	Multi Fune	ction D	evice	
P15	Eco-lab	nal information (S	Criteria version: ee NOTE B11)	Date:	Product	category:				
P3.2			ith Lot 6 and Lot 26 of Eco de	sign Requiremer	nt.					
BTU	34.5 BTU/h The figure is based on the TEC value of 1.7 kWh/week (=24h x 7days)									
(230v)	24 5 P	TU/h The figure is	based on the TEC value of 1.	7 kWh/week (24	h x 7days)					
BTU										

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1