

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Konica Minolta	Logo
Company name *	Konica Minolta Europe GmbH	
Contact information * e-mail address	https://wwws.konicaminolta.net/neoga/gl/about.php	
Internet site *	http://www.konicaminolta.com/index.html	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction Printer				
Commercial name *	bizhub				
Model number *	558e				
Issue date *	18 December 2017				
Intended market *	🗌 Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	version 1.0				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	bizhub 558e	Logo				
Issue da	te *	18 December 2017	-				
Product	t environ	mental attributes - Legal requirements		Rec	uire	ment	met
Item	·				Yes	No	n.a.
P1		bus substances and preparations					
P1.1*		s do comply with the current European RoHS Directive. (See legal reference and N	OTE BT)		\times		
P1.2*		e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			\mathbf{X}		
P1.3*	hydrobro trichloroe concentr	a do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.	naximum	1-	\square		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	nlorinated		\mathbf{X}		
P1.5*	chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			\mathbf{X}		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/	week	\boxtimes		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail nicaminolta.eu	contact):		\boxtimes		
P2	Batterie						
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the dispose	al	\mathbf{X}		
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr e)	nium. (See	legal	\mathbf{X}		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)			\times		
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at (add link or e-mail address): <i>env@konic</i>			\boxtimes		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			\boxtimes			
	Required information is; Zigiven in item P15 or added to this document,						
		available at (add URL):					
P4		able materials					
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium me erence and NOTE B1).	ax 0,01% (see	\boxtimes		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referend	ce).	X		
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance formunity workplace exposure limits, the product/packaging is adequately labeled accented la regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	cording to	ere			
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.			\boxtimes		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the mate	erial(s)	\mathbf{X}		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6	Treatme	nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).			\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	bizhub 558e Logo			
Issue date *		18 December 2017			
		mental attributes - Market requirements (See General NOTE GN below) nental conscious design	Require	mont	mot
- Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes		n.a.
P7	Design				- non
		nbly, recycling			
P7.1*		t have to be treated separately are easily separable	\mathbf{X}		
P7.2*		aterials in covers/housing have no surface coating.	\times		
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.	\mathbf{X}		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\mathbf{X}		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\mathbf{X}		
P7.6*	Labels a	e easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\times}$		
	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives	\mathbf{X}		
P7.8*	Upgradin	g can be done using commonly available tools	\mathbf{X}		
P7.9.	Spare pa	rts are available after end of production for: 7 years			
P7.10	Service is	s available after end of production for: 7 years			
		and substance requirements	•	· · ·	
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12		ype: PC+PET Material type: PC+ABS Material type: ABS a materials of external electrical cables are PVC free. Material type: ABS Material type:			
P7.12		n materials of external electrical cables are PVC free.	<u> </u>	\boxtimes	<u> </u>
P7.13		plastic casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000 ppm) bromine and $0,1\%$			<u> </u>
F7.14	weight (1 polyvinyl	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin n 25% post-consumer recycled content.	d 🔼		
P7.15		ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge	n 🗌	\boxtimes	
-		d in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components):	_	_	_
	TBBPA (additive) 🗌, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name: , CAS #:			
	according	emical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR</i> (17)	\boxtimes		
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	n		
	<u>Alt. 2: </u> Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:			
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) numer recycled plastic material content is used in the product (See NOTE B6):			
Γ1.20	lf YES; a a) Of te	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as centage of total plastic by weight) is 36 % .	a		
		weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	bizhub 55	58e			Logo			
Issue date *	18 Decen	nber 2017						
Product enviro	nmental att	ributes - Market re	quirements (contin	nued)			irement	met
Item						Ye	es No	n.a.
		ance requirements (
	•		in the product (See NO	,		\geq		
a) (t or	Of total plastic otal plastic by			ered; naterial content (calcula	ated as a perce	entage of		
P7.22* Light	sources are fro	•	ess than 0,1 mg/lamp.	um mercury content per	·lamp: r	ng		
P8 Batte	ies					·	÷	
P8.1* Batter	y chemical co	mposition: Lith	ium Manganese dioxi	ide				
P9 Energ	y consumpti	on (See NOTE B8)				· ·		-
			s or energy consumption	ons are reported:				
Energy mode *		Power level at 100 V AC	Power level at 120 V AC (America)	Power level at 230 V AC (Europe)	Reference/Sta modes and te		energy	
Sleep mode for E STAR® Operation (OM) products		W	W	W				\boxtimes
Standby/off mode for ENERGY STAR Operational Mode (OM) products		W	W	W				\boxtimes
TEC value for ENERGY STAR TEC products		3.1 kWh/week	3.1 kWh/week	3.0 kWh/week				
(TEC= Typical En	ergy		(500)11/		D.4. 1/7 005			
Maximum		1500 W	1590 W	2000 W	RAL UZ-205			
Active (Printing)		960 W	980 W	940 W	RAL UZ-205			
Ready		186 W	184 W	189 W	RAL UZ-205			
Low power		86.8 W	88 W	83.4 W	RAL UZ-205			
Sleep		0.4 W	0.4 W	0.4 W	RAL UZ-205			
Plug-in off		0.0003 W	0.0006 W	0.0006 W	RAL UZ-205			
-	upply Efficience	Level (International	Efficiency Marking Pro	otocol) * :				
Print/Scan Speed		55 images per minute						
		5						<u> </u>
Default time to en			n is provided with the	araduat				<u> </u>
		ie energy save functio	n is provided with the					
P10 Emis		Declared according to	ISO 9296 (See NOTE	B0)				
P10.1 Mode		lode description	Sta	atistical upper limit A-we _{A,c} (B)	eighted sound p	oower level,		
Idle	*	Ready	* 4	.2				
Opera		Printing						⊢⊢
Other	mode							
Meas	ured according	g to: 🛛 ISO 7779 🗌	ECMA-74 if not covered by ECM					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Issue date	e *	18 December 201	7					
			'					
_								
	environ	mental attributes	s - Market requirements (o	continued)		Require		
ltem	•					Yes	No	n.a.
P10.2*			printing products (See NOT					_
1 10.2			b ECMA-328 Determination of) □, other specify: RAL UZ-2		ites from Electronic	\boxtimes	Ш	
P10.3			ation phase) is (mg/h):	205				
1 10.0		· · ·		_				
	Electrop		s: Ozone 0.09 (BW) Dust 1.7	-		26		
	ink devi	ces.	Dust	Stylelle Del	nzene TVOC			
			mum emission rates in eco lab	pels to be declared in P	14.			
P11 P11.1*			r printing products	reportion over if not l	agelly required (see D4.2			
	-		is available for the ink/toner p					
P11.2*	Paper of EN 122		sumer recycled fibers can be	e used, provided that	it meets the requiremen	ts of 🔀		
P11.3*	2-sided	(duplex) printing/co	pying is an integrated product	function.		\boxtimes		
P11.4*	The pro	duct is delivered to	end-user with default auto-dup	lex enabled.		\boxtimes		
P13	Packag	ing and document	ation					
P13.1*		packaging material		eight (kg): 6.8				
		packaging material		eight (kg): 15.6				
	Product packaging material type(s): <i>foamed PS</i> weight (kg): 0.7 Product packaging material type(s): <i>foamed PP</i> weight (kg): 0.03							
	Product	packaging material		eight (kg): 0.04				
	Product packaging material type(s): <i>PE</i> weight (kg): 0.43							
	Product packaging material type(s): PP weight (kg): 0.001							
	Product packaging material type(s): <i>metal</i> weight (kg): 0.03							
D40.0*	Product packaging material type(s): other weight (kg): 0.05 Product plastic primary packaging is free from PVC. Image: Comparison of the second seco							
P13.2*						\boxtimes		
P13.3*		duct primary corrug er recovered fiber c	gated fiberboard packaging, s ontent: 70 %	pecify the contained p	percentage of minimum	oost-		
P13.4*	Specify	media for user and	product documentation (tick be	ox):				
		nic 🛛 , Paper 🔟 ,						
P13.5			item if paper documentation us				_	
		a product documen please specify:	tation on paper media is chlori	ne-free:		\mathbf{X}		
		chlorine-free						
		tal chlorine-free						
	Process	ed chlorine-free				H		
P14	Volunta	ry programs:						
P14.1	The pro	duct meets the requ	irements of the following volur	ntary program(s):				
	ENERG	Y STAR®	Criteria version: ver.2	Date: January 2014	Product category: MFD	S		
	Eco-lab	el: Blue Angel	Criteria version: RAL UZ-17		Product category: Mult	i Function D	evice	
	Eco-lab		Criteria version:	Date:	Product category:			
P15		nal information (S						
P3.2	This pr	oduct complies wi	th Lot 6 and Lot 26 of Eco de	esign Requirement.				
BTU	60.9 BTU/h The figure is based on the TEC value of 3.0 kWh/week (=24h x 7days)							
(230v) BTU			ased on the TEC value of 3.1		()			

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1