



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Konica Minolta	Logo
Company name *	Konica Minolta Europe GmbH	
Contact information * e-mail address	https://wwws.konicaminolta.net/neoga/gl/about.php	KONICA MINOLTA
Internet site *	http://www.konicaminolta.com/index.html	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	conforms to the statements given in this declaration.				
Type of product *	Multifunction Printer				
Commercial name *	bizhub				
Model number *	C250i				
Issue date *	23 May 2019				
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	version 2.0				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	bizhub C250i	Logo	
Issue date *	23 May 2019		

Product	Require	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4.4*	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes	Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	· 🔀		
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
F1.7	env@konicaminolta.eu	\boxtimes		Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): env@konicaminolta.eu	\boxtimes		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes		
	Required information is; Silven in item P15 or added to this document,			
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).	X		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	$\overline{\nabla}$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		\overline{H}	
1 4.5	are Community workplace exposure limits, the product/packaging is adequately labeled according to		Ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	nd 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoc	ol 🔀		
	(see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
. 5. 1	mondation for respect of the factorial factorial to the factorial	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	bizhub C250i	Logo	
Issue date *	23 May 2019		

Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met						
	Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No			
Item P7	Design	168	INO	n.a.		
. ,	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	X	П			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
D7 12	Material type: PC+PET Material type: PC+ABS Material type:					
P7.12 P7.13	Insulation materials of external electrical cables are PVC free. Insulation materials of internal electrical cables are PVC free.					
			X			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing		Ш			
P7.15	more than 25% post-consumer recycled content. Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen.		\boxtimes			
	as defined in IEC 61249-2-21. (See NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(17)	\boxtimes				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)					
	2. Chemical name: , CAS #: "(See NOTE B4)					
	3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(17), FR(40)	\boxtimes				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 34.9 %.					
	or a) The weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	del number * bizhub C250i			Logo					
Issue date	sue date * 23 May 2019								
Product environmental attributes - Market requirements (continued)					Require	ement	met		
Item							Yes	No	n.a.
			ance requirements (
P7.21*	Biobased	I plastic ma	aterial content is used	in the product (See	NOTE ^{B7}):		\boxtimes		
	a) Of to total or	otal plastic I plastic by	of the two alternatives parts' weight > 25 g, weight) is 0.004 %. the biobased plastic m	the biobased plastic	wered; c material content (calcula	ited as a perce	entage of		
P7.22*			ee from mercury, i.e. lepecify: Number of lam		ip. m mercury content per lan	np: mg			
P8	Batteries								
P8.1*	Battery cl	hemical co	mposition: Lithium	Manganese dioxid	de				
P9		•	ion (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consump	otions are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mod STAR® Op (OM) produ	erational l ucts	Mode	W	W	W				\boxtimes
Standby/of ENERGY S Mode (OM)	STAR Ope		W	W	W				X
TEC value TEC produ		GY STAR	0.9 kWh/week	0.9 kWh/week	0.9 kWh/week	Energy Star			
(TEC= Typ		у							
Maximum			1500 W	1580 W	1580 W	RAL UZ-205			
Active (Pr	inting)		460 W	480 W	460 W	RAL UZ-205			
Ready			86 W	87 W	83 W	RAL UZ-205			
Low powe	r		24.6 W	27.1 W	24.4 W	RAL UZ-205			
Sleep			0.5 W	0.4 W	0.5 W	RAL UZ-205			
Plug-in of	f		0.034 W	0.039 W	0.073 W	RAL UZ-205			
External Po	ower Supp	ly Efficiend	cy Level (International	Efficiency Marking F	Protocol) * :				
Print/Scan	Speed *	:	25 images per minute						
Default tim	e to enter	energy sav	ve mode: minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10									
D10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9) 1 Mode Mode description Statistical upper limit A-weighted sound power level,								
P10.1	iviode	IV	lode description	L _{WA,c} (B)					
		Ready		* 2.7					
		Printing (BW/ Colour)	* 6.6/6.6					
	Other mo								
	Measure	d according	g to: ISO 7779 C	ECMA-74	CMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	bizhub C250i	Logo			
Issue date *		23 May 2019				
Product e	environ	mental attributes - Market requirements (continued)	R	equire	ment	met
Item				Yes	No	n.a.
D40.0*		cal emissions from printing products (See NOTE B10)				
P10.2*		rformed according to ECMA-328 Determination of Chemical Emission Rates from E	lectronic	\boxtimes		
D40.0		ent (ISO/IEC 28360) , other specify: RAL UZ-205				
P10.3	i ypicai	emission rate (operation phase) is (mg/h):				
	Electrop	photographic devices: Ozone 0.05/0.09 (BW / Colour) Dust 0.77/0.64 Styrene 0	0.31/0.4 Benzene			
		0.00/0.01 TVOC 3.83/7.85				\times
	Ink devi	ces: Dust Styrene Benzene TVOC	;			
	Note: co	ompliance with maximum emission rates in eco labels to be declared in P14.				
P11	Consur	nable materials for printing products				
P11.1*	A Safet	y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see P4.3).	\boxtimes		
P11.2*	Paper of	containing post-consumer recycled fibers can be used, provided that it meets the 81.	he requirements of	X		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		X		
P11.4*	The pro	duct is delivered to end-user with default auto-duplex enabled.		X		
P13	Packag	ing and documentation				
P13.1*	Product	packaging material type(s): wood weight (kg): 5.5				
		packaging material type(s): <i>paper</i> weight (kg): 5.3				
		packaging material type(s): foamed PS weight (kg): 0.2 packaging material type(s): weight (kg):				
		packaging material type(s): weight (kg):				
	Product	packaging material type(s): weight (kg):				
		packaging material type(s): weight (kg):				
		packaging material type(s): weight (kg): packaging material type(s): weight (kg):				
P13.2*		plastic primary packaging is free from PVC.		X		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-					
	consumer recovered fiber content: 70 %					
P13.4*		media for user and product documentation (tick box):				
D.10 -		nic 🗵, Paper 🗵, Other 🔲				
P13.5		only complete this item if paper documentation used)				
		d product documentation on paper media is chlorine-free: blease specify:		\boxtimes	Ш	
		chlorine-free				
	•	tal chlorine-free		A		
		sed chlorine-free		H		
P14	Volunta	ary programs:				
P14.1	The pro	duct meets the requirements of the following voluntary program(s):				
	ENERG	Y STAR® Criteria version: <i>n.a.</i> Date: <i>n.a.</i> Product	category: n.a.			
		el: Blue Angel Criteria version: RAL UZ-205 Date: May 2019 Product	category: Multi Fundategory:	ction De	evice	
P15		nal information (See NOTE B11)				
P3.2	This product complies with Lot 6 and Lot 26 of Eco design Requirement.					
BTU (230v)	18.3 BT	TU/h The figure is based on the TEC value of 0.9 kWh/week (=24h x 7days)				
BTU (115v)	18.3 BT	TU/h The figure is based on the TEC value of 0.9 kWh/week (=24h x 7days)				
/		opy Time in accordance with ENERGY STAR Ver. 2.0				
		Copy Time from Ready State(s) (Active 0): 13.3 (100V), 14.0 (115V), 13.2(230V)				
	Print/	Copy Time from Sleep Mode(s) (Active 1): 14.2 (100V), 13.8 (115V), 13.3(230V)	<i>(</i>)			

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1